

Near Realtime RAN Intelligent Controller (RIC)

[PTL](#) | [Summary](#) | [Project](#) | [Weekly Meeting](#) | [Mailing list and #ricp](#) | [Jira for \(RIC\)](#) - see Jira development items (better use links from item 6 in §7 in wiki page named "Jira usage conventions").

- Anomaly Detection Use Case
- Components
 - A1 Mediator
 - Demo1 (a demo xApp maintained by the RICP project)
 - E2 Manager (E2M)
 - E2 Terminator (E2T)
 - Influx-DB Wrapper
 - Logging (not tracing)
 - O1 mediator
 - RIC Alarm System
 - RIC Message Router (RMR)
 - RNIB
 - Routing manager
 - Subscription manager
 - xApp Framework for CXX (xapp-frame-cpp)
 - xApp Framework for Go (xapp-frame)
 - xApp Framework for Python (xapp-frame-py)
 - xApp Framework for Rust (xapp-frame-rust)
- Introduction and guides
- Organizational issues
 - Jira development items (better use links from item 6 in §7 in wiki page named "Jira usage conventions")
 - Jira usage conventions
 - Project meetings
 - Project reports
 - Release criteria checklist
 - Sprint demos
 - Tools (mailing list, JIRA, Gerrit)
- Overall architecture (not component-specific)
- Recent updates in wiki
- RIC benchmarking
- RIC deployment
- RIC test automation
- Scope of the near-RT RIC platform and its components (summary)

Near-Realtime RAN Intelligent Controller	
PTL	Thoralf Czicky
Summary	Initial RIC Platform to support xAPPs with limited support for O1, A1, and E2 interfaces.
Project	For the component list see here: scope
Weekly Meeting	see Project meetings
Mailing list and #ricp	see Tools (mailing list, JIRA, Gerrit)

Jira for (RIC) - see [Jira development items](#) (better use links from item 6 in §7 in wiki page named "Jira usage conventions").